INDEX OF AUTHORS
Volume 20, 1980

Adachi, M. See Miyake, Y.
Amada, K. See Kato, K.
Ambrazyavichyus, A. B., Nashlenas, E. P., Serapinas, P. D., and Stasyukaitis, V. Yu.
Determination of the nitric oxide concentration for nonequilibrium chemical conditions 172
Amouroux, J. See Fauchais, P.
Azuma, H., Furusaki, S., and Miyauchi, T.
Measurement of particle velocities in a fluidized bed by a thermal response method. 417

Bandrowski, J. See Kaczmarzyk, G.
Bartelmus, G. See Burghardt, A.
Bartmann, L. See Stockburger, D.
Basnev, S. P., Machenov, I. P., Puusepp, T. P., and Timofeev, I. A.
Utilization of return gas from cuprammonium treatment in ammonia production. 327
Ban'kovskii, V. G., Sapunov, G. S., Makhov, A. F., Telyashev, G. G., and Selishchev, I. N.
Effect of hydrocarbon feedstock components on a thermal reduction process for treating acid wastes 331
Beer, J. M. See Sadakata, M.
Berman, A. D. and Krylov, O. V.
Features of the kinetics of heterogeneous reactions with phase transformations on catalyst surface. 313
Bittrich, H.-J. See Fratscher, W.
Blasinski, H., Nowicki, J., and Rzyski, E.
Mixing power and mixing times of propeller agitators introduced laterally. 92
Blenke, H. See Marquart, R.
Bodenbenner, K., von Plessen, H., and Steiner, R.
Regeneration of spent sulfuric acid 343
Bogdanova, N. A. See Kolesov, M. I.
Bourdin, E. See Fauchais, P.
Boyadzhiev, Kh. See Stateva, R.
Broniarz, L. See Koziol, K.
Burghardt, A. and Bartelmus, G.
Experimental studies of longitudinal dispersion in two-phase flow in packed columns. I. Experimental determination of the parameters of piston flow with superimposed longitudinal dispersion 117
Experimental studies of longitudinal dispersion in two-phase flow in packed columns. II. Analysis of the effect of longitudinal dispersion on mass transfer 130

Cermak, J. See Kastanek, F.
Chaksh, S. A.
Increase in the heat transfer rate on the shell side of shell-and-tube heat exchangers with the use of cross baffles 498
Chao, Z. L. See Liu, D. M.
Chernobai, V. A. See Ornatskii, A. P.
Churkin, Yu. V. and Glazunova, V. I.
Production of m-cresol from a petrochemical dicresol mixture 329

Delmon, B.
Catalysts. A new mechanistic model explaining synergy in hydrotreating catalysts. 639
Dolejs, V. and Lecjaks, Z.
Pressure drop in flow of a Newtonian liquid through a fixed randomly packed bed of spherical particles 466
Drizhyus, M.-R. M., Shkema, R. K., and Shlanchyauskas, A. A.
Heat transfer in a twisted stream of water in a tube 486
Duplyakin, V. K. See Michnik, B. Kh.

Ebara, S. See Kato, K.
Eguchi, W. See Miyake, Y.

Fauchais, P., Bourdin, E., Aubreton, J., and Amouroux, J.
Plasma chemistry and its applications to the synthesis of acetylene from hydrocarbons and coal 289
Frank, J. T. and Lutcha, J.
Thickness of the film of a material treated in a film-type rotary evaporator 65
Fratscher, W., Picht, H.-P., and Bittrich, H.-J.
The acquisition, collection, and tabulation of substance data on fluid systems for calculations in chemical engineering 19
Friedel, L.
Pressure drop during gas/vapor-liquid flow in

INDEX OF AUTHORS
Volume 20, 1980

Adachi, M. See Miyake, Y.
Amada, K. See Kato, K.
Ambrazyavichyus, A. B., Nashlenas, E. P., Serapinas, P. D., and Stasyukaitis, V. Yu.
Determination of the nitric oxide concentration for nonequilibrium chemical conditions 172
Amouroux, J. See Fauchais, P.
Azuma, H., Furusaki, S., and Miyauchi, T.
Measurement of particle velocities in a fluidized bed by a thermal response method. 417

Bandrowski, J. See Kaczmarzyk, G.
Bartelmus, G. See Burghardt, A.
Bartmann, L. See Stockburger, D.
Basnev, S. P., Machenov, I. P., Puusepp, T. P., and Timofeev, I. A.
Utilization of return gas from cuprammonium treatment in ammonia production. 327
Ban'kovskii, V. G., Sapunov, G. S., Makhov, A. F., Telyashev, G. G., and Selishchev, I. N.
Effect of hydrocarbon feedstock components on a thermal reduction process for treating acid wastes 331
Beer, J. M. See Sadakata, M.
Berman, A. D. and Krylov, O. V.
Features of the kinetics of heterogeneous reactions with phase transformations on catalyst surface. 313
Bittrich, H.-J. See Fratscher, W.
Blasinski, H., Nowicki, J., and Rzyski, E.
Mixing power and mixing times of propeller agitators introduced laterally. 92
Blenke, H. See Marquart, R.
Bodenbenner, K., von Plessen, H., and Steiner, R.
Regeneration of spent sulfuric acid 343
Bogdanova, N. A. See Kolesov, M. I.
Bourdin, E. See Fauchais, P.
Boyadzhiev, Kh. See Stateva, R.
Broniarz, L. See Koziol, K.
Burghardt, A. and Bartelmus, G.
Experimental studies of longitudinal dispersion in two-phase flow in packed columns. I. Experimental determination of the parameters of piston flow with superimposed longitudinal dispersion 117
Experimental studies of longitudinal dispersion in two-phase flow in packed columns. II. Analysis of the effect of longitudinal dispersion on mass transfer 130

Cermak, J. See Kastanek, F.
Chaksh, S. A.
Increase in the heat transfer rate on the shell side of shell-and-tube heat exchangers with the use of cross baffles 498
Chao, Z. L. See Liu, D. M.
Chernobai, V. A. See Ornatskii, A. P.
Churkin, Yu. V. and Glazunova, V. I.
Production of m-cresol from a petrochemical dicresol mixture 329

Delmon, B.
Catalysts. A new mechanistic model explaining synergy in hydrotreating catalysts. 639
Dolejs, V. and Lecjaks, Z.
Pressure drop in flow of a Newtonian liquid through a fixed randomly packed bed of spherical particles 466
Drizhyus, M.-R. M., Shkema, R. K., and Shlanchyauskas, A. A.
Heat transfer in a twisted stream of water in a tube 486
Duplyakin, V. K. See Michnik, B. Kh.

Ebara, S. See Kato, K.
Eguchi, W. See Miyake, Y.

Fauchais, P., Bourdin, E., Aubreton, J., and Amouroux, J.
Plasma chemistry and its applications to the synthesis of acetylene from hydrocarbons and coal 289
Frank, J. T. and Lutcha, J.
Thickness of the film of a material treated in a film-type rotary evaporator 65
Fratscher, W., Picht, H.-P., and Bittrich, H.-J.
The acquisition, collection, and tabulation of substance data on fluid systems for calculations in chemical engineering 19
Friedel, L.
Pressure drop during gas/vapor-liquid flow in

pipes 352
Fujinawa, K. See Imaishi, N.
Furusaki, S. See Azuma, H.
Furusawa, T., Kunii, D., Oguma, A., and Yamada, N.
Rate of reduction of nitric oxide by char . . .239

Gioia, F. and Mura, G.
Influence of catalysts on SO_2 control in coal combustion with limestone 458
Glazunova, V. I. See Churkin, Yu. V.
Grosz-Röll, F.
Assessing homogeneity in motionless mixers 542

Halwachs, W. and Schügerl, K.
The liquid membrane technique—a promising extraction process 519
Heim, A.
Model of momentum and heat transfer in mixers with close-clearance agitators 271
Heim, A.
Verification of a model of momentum and heat transfer in mixers with close-clearance agitators 279
Heinrich, J., Kleinova, N., Kopernicky, I., Kubis, J., and Manak, J.
Contribution to the calculation of saturated vapor pressure 77
Heyde, M. and Klocke, H.-J.
Heat transfer between fluidized beds and heat exchange installations 583
Hine, F.
Energy saving in the chlor-alkali industry . . .629
Hirata, Y. See Ito, R.
Hirose, T.
A method of dimensional analysis by means of dimensional constants 28
Hruby, J.
Variation of the pressure fluctuations and Murphree efficiency on a slot tray without weirs in an absorption column. 673
Huang, Z. X. See Liu, D. M.
Hunek, J. See Sawinsky, J.

Iguchi, A. See Kumori, K.
Iinoya, K. See Makino, K.
Imaishi, N. and Fujinawa, K.
An optical study of interfacial turbulence accompanying chemical absorption. 226
Inoue, K. See Ito, R.
Ito, R.
Application of catastrophe theory to the break-up of a liquid drop in a shear field. 266
Ito, R., Hirata, Y., Inoue, K., and Kitagawa, Y.
Formation of a liquid drop at a single nozzle in a uniform stream. 616
Itoh, J., Niida, K., Shiroko, K., and Umeda, T.
Analysis of the available energy of a distillation system. 379
Izumi, R. See Kumori, K.

Jin, J., Yu, Z., Shen, J., and Zhang, L.
Pagoda-type vertical internal baffles in gas-fluidized beds 191

Kaczmarzyk, G. and Bandrowski, J.
Gas-solid heat transfer coefficient in vertical pneumatic transport 98
Kafarov, V. V., Vygon, V. G., Komech, A. I., and Zakhariev, K. E.
An analytical solution of the problem of a biparametric diffusion model 473
Kamiwano, M., Ohya, K., and Koga, T.
Mixing process of highly viscous Newtonian fluids in the space between two vertical, co-axial cylinders 609
Kamiwano, M., Saito, R., and Oshima, N.
Method for measurement of liquid velocity using an image sensor-application to a stirring vessel. 244
Kasaoka, S., Sakata, Y., Mimura, A., and Yamato, H.
Preparation of activated carbon from various plastics 446
Kastanek, F., Kratochvil, J., Zahradnik, J., Rylek, M., and Cermak, J.
Increasing the rate of mass transfer in reactors with a bubble phase. 56
Kato, K., Amada, K., and Ebara, S.
Reaction kinetics of the synthesis of ethylene oxide by the oxidation of ethylene on a silver catalyst 402
Kato, Y. See Morooka, S.
Kato, Y. See Sasakura, T.
Kato, Y. See Yamazaki, M.
Kirillov, V. A. and Ogarkov, B. L.
Investigation of the processes of heat and mass transfer in a three-phase fixed bed of catalyst 478
Kitagawa, Y. See Ito, R.
Kleinova, N. See Heinrich, J.

Klocke, H.-J. See Heyde, M.
Koga, T. See Kamiwano, M.
Kolesov, M. I., Bogdanova, N. A., Prokof'ev, E. K., Mikhal'chenko, G. G., and Smol'nikov, S. S.
Economic advantage of using a catalyst in the stage of isopropylbenzene oxidation 323
Komech, A. I. See Kafarov, V. V.
Kopernicky, I. See Heinrich, J.
Koziol, K. and Broniarz, L.
Transfer processes in film apparatus. II. Effect of systematic surface grooving on the value of the mass transfer coefficient in a falling film of liquid. 143
Koziol, K., Broniarz, L., and Nowicka, T.
Transfer processes in film apparatus. I. Mass transfer during flow of a film of liquid down smooth pipes. 136
Kratochvil, J. See Kastanek, F.
Krejcirik, A. See Pexidr, V.
Krylov, O. V. See Berman, A. D.
Kubis, J. See Heinrich, J.
Kumori, K., Iguchi, A., and Izumi, R.
Characteristics of fully developed turbulent flow and mass transfer in a square duct. 219
Kunii, D. See Furusawa, T.
Kunii, D. See Sadakata, M.
Kunii, D. See Yabe, I.
Kusakabe, K. See Morooka, S.

Lecjaks, Z. See Dolejs, V.
Levinter, M. E. See Michnik, B. Kh.
Liu, D. M., Chao, Z. L., Huang, Z. X., and Wu, X. J.
A sequential procedure for optimal discrimination among rival rate models for the reaction of ammonia synthesis on 'A' catalysts. 654
Lutcha, J. See Frank, J. T.

Machej, K.
Use of transformation in the method of least squares 110
Machenov, I. P. See Basnev, S. P.
Makino, K., Saiwai, K., Suzuki, M., Tamamura, T., and Iinoya, K.
Analysis of the static yield of a powder layer 211
Makhov, A. F. See Ben'kovskii, V. G.
Männchen, E. See Muchowski, E.
Manak, J. See Heinrich, J.
Marquart, R. and Blenke, H.
Circulation of moderately to highly viscous Newtonian and non-Newtonian liquids in propeller-pumped circulating loop reactors . .368
Medek, J.
Power characteristics of agitators with flat inclined blades. 664
Merzhanov, A. G.
Combustion process in chemical reaction engineering 150
Michnik, B. Kh., Vyazkov, V. A., Duplyakin, V., K., and Levinter, M. E.
Role of carbon monoxide in regeneration of platinized alumina reforming catalyst 333
Mimura, A. See Kasaoka, S.
Miyake, Y., Eguchi, W., Adachi, M., and Ohara, S.
Mechanism and rate of iodine vapor absorption in aqueous sodium hydroxide solution 621
Miyauchi, T. See Azuma, H.
Miyauchi, T. See Tsutsui, T.
Molerus, O.
Description of pneumatic conveying 7
Mori, F. See Yoshimura, Y.
Moritoki, M.
A method of fractional crystallization under high pressure 394
Morooka, S., Kusakabe, K., and Kato, Y.
Mass transfer coefficient at the wall of a rectangular fluidized bed for liquid-solid and gas-liquid-solid systems 433
Muchowski, E.
Heat transfer from the bottoms of vibrated vessels to packings of spheres at atmospheric pressure and under vacuum 564
Muchowski, E. and Männchen, E.
Heat transfer from the bottoms of vibrated vessels to stirred packings of spheres at atmospheric pressure and under vacuum. 577
Mura, G. See Gioia, F.

Nashlenas, E. P. See Ambrazyavichyus, A. B.
Nawada, M. See Sadakata, M.
Neumann, K.-K. and Ostertag, G.
Computerized systems to predict thermophysical properties of mixtures 1
Niida, K. See Itoh, J.
Niida, T., Yoshida, T., Senda, M., and Shimada, K.
Analytical solution for the velocity distribution in laminar flow in an annular-sector duct . . .258
Nowicki, J. See Blasinski, H.
Nowicka, T. See Koziol, K.

Obata, E. and Watanabe, H.
Experimental investigation of the operation of an inclined continuous thickener by the use of vertical and inclined solid-flux curves 439
Ogarkov, B. L. See Kirillov, V. A.
Oguma, A. See Furusawa, T.
Ohara, S. See Miyake, Y.
Ohi, N. See Sasakura, T.
Ohya, K. See Kamiwano, M.
Ornatskii, A. P., Vasil'ev, A. F., and Chernobai, V. A.
Determination of the critical heat flux density in channels with nonuniform generation of heat along their length 688
Oshima, N. See Kamiwano, M.
Ostertag, G. See Neumann, K. K.
Ōyama, Y.
Particle motion in a horizontal rotating cylinder 36

Pasek, J. See Pexidr, V.
Pexidr, V., Krejcirik, A., and Pasek, J.
Mass transfer in a catalytic bubble-phase reactor 84
Picht, H.-P. See Fratscher, W.
Podmaniczky, L. See Sawinsky, J.
Poshkas, P. S. Survila, V. Yu., and Zhukauskas, A. A.
Drag and flow patterns for a tube in various rows of bundles with lateral cross flow of air at high Reynolds numbers.....503
Prokov'ev, E. K. See Mikhalchenko, G. G.
Puusepp, T. P. See Basnev, S. P.

Rylek, M. See Kastanek, F.
Rzyski, E. See Blasinski, H.

Sadakata, M., Beer, J. M., and Kunii, D.
A characteristic of nitric oxide emission from a swirling turbulent flame 232
Sadakata, M., Nawada, M., and Kunii, D.
Control of thermal NO_X and fuel NO_X from a high-temperature spray-combustion furnace by two-stage combustion 409
Saito, R. See Kamiwano, M.
Saiwai, K. See Makino, K.
Sakata, Y. See Kasaoka, S.
Sapunov, G. S. See Ben'kovskii, V. G.
Sasakura, T., Kato, Y., Yamamuro, S., and Ohi, N.
Mixing process in a stirred vessel.....251
Sawinsky, J., Hunek, J., and Podmaniczky, L.
A diffusional model for longitudinal mixing 681
Schlünder, E. U.
Heat transfer to moving spherical packings at short contact times 550
Schlünder, E. U. See Wunschmann, J.
Schügerl, K. See Halwachs, W.
Selishchev, I. N. See Ben'kovskii, V. G.
Senda, M. See Niida, T.
Serapinas, P. D. See Ambrazyavichyus, A. B.
Sinkyavichyus, I. E. See Tamonis, M. M.
Shen, J. See Jin, J.
Shi, J. F. See Zhou, Y. F.
Shimida, K. See Niida, T.
Shiroko, K. See Itoh, J.
Shkema, R. K. See Drizhyus, M.-R. M.
Shlanchyauskas, A. A. See Drizhyus, M.-R. M.
Sipavichyus, Ch.-S. Yu. See Zhukauskas, A. A.
Smol'nikov, S. S. See Kolesov, M. I.
Sokov, Yu. F., Krasnogorskaya, N. N., Kuznetsov, A. P., Kirillov, T. S., and Maksimenko, M. Z.
Dearomatization of kerosene–gas oil cuts in a rotary-disk extractor.....325
Stasyukaitis, V. Yu. See Ambrazyavichyus, A. B.
Stateva, R. and Boyadzhiev, Kh.
The determination of factors in influencing blocks of chemical engineering systems having controlled output variables 306
Steiner, R. See Bodenbenner, K.
Stockburger, D. and Bartmann, L.
Exergetic evaluation of the use of heat pumps (vapor compressors) in chemical plants 197
Survila, V. Yu. See Poshkas, P. S.
Susuki, M. See Makino, K.

Tamamura, T. See Makino, K.
Tamonis, M. M., Sinkyavichyus, I. E., and Tutlite, O. L.
Energy transfer by radiation in the combustion products of a hydrocarbon fuel. Consideration of the rotational structure of bands in isothermal mixtures of gases 489
Telyashev, G. G. See Ben'kovskii, V. G.
Timofeev, I. A. See Basnev, S. P.
Tsutsui, T. and Miyauchi, T.
Fluidity of a fluidized catalyst bed and its effect on the behavior of bubbles 386
Tutlite, O. L. See Tamonis, M. M.

Ueda, K. See Yoshimura, Y.
Ulinskas, R. V. See Zhukauskas, A. A.

Umeda, T. See Itoh, J.

Vasil'ev, A. F. See Ornatskii, A. P.
von Plessen, H. See Bodenbenner, K.
Vyazkov, V. A. See Michnik, B. Kh.
Vygon, V. G. See Kafarov, V. V.

Wang, X. M. See Zhou, Y. F.
Watanabe, H. See Obata, E.
Werther, J.
Mathematical modeling of fluidized bed reactors 529
Wu, X. J. See Liu, D. M.
Wunschmann, J. and Schlünder, E. U.
Heat transfer from heated surfaces to spherical packings 555

Yabe, I. and Kunii, D.
Flow pattern around a spherical-cap gas bubble 203
Yamada, N. See Furusawa, T.
Yamamuro, S. See Sasakura, T.
Yamato, H. See Kasaoka, S.
Yamazaki, M. and Kato, Y.
Measurement of particle velocities in a fluidized bed by a thermal response method 425
Ye, Y. H. See Zhou, Y. F.
Yoshida, T. See Niida, T.
Yoshimura, Y., Ueda, K., Mori, F., and Yoshioka, N.
Initial particle-collection mechanism in clean, deep-bed filtration.....600
Yoshioka, N. See Yoshimura, Y.

Zakhariev, K. E. See Kafarov, V. V.
Zahradnik, J. See Kastanek, F.
Zhang, L. See Jin, J.
Zhou, Y. F., Shi, J. F., Wang, X. M., and Ye, Y. H.
A study of the hydrodynamic behavior of Linde-type flow-guided sieve plates.....642
*Zhukauskas, A. A., Ulinskas, R. V., and Sipavi-*chyus, Ch.-S. Yu.
Local heat transfer and hydraulic resistance with lateral streamline flow of a viscous oil through tube bundles over the range of values of the Reynolds number from 1 to 20,000 177
Zhukauskas, A. A. See Poshkas, P. S.

CONTENTS

Vol. 20, No. 1, January 1980

Neumann, K.-K. and Ostertag, G.	1	Computerized systems to predict thermophysical properties of mixtures, *Berichte der Bunsen-Gesellschaft* **81**, No. 10 (1977), Federal Republic of Germany.
Molerus, O.	7	*Description of pneumatic conveying, Chemie-Ingenieur-Technik* 49, No. 12 (1977), Federal Republic of Germany.
Fratscher, W., Picht, H.-P., and Bittrich, H.-J.	19	The acquisition, collection, and tabulation of substance data on fluid systems for calculations in chemical engineering, *Chemische Technik* **29**, No. 7 (1977), Democratic Republic of Germany.
Hirose, T.	28	*A method of dimensional analysis by means of dimensional constants*, Kagaku Kōgaku Ronbunshu **4**, No. 3 (1978), Japan.
Ōyama, Y.	36	Particle motion in a horizontal rotating cylinder, *Funtai Kōgaku-kai Shi* **15**, No. 2 (1978), Japan.
Kastanek, F., Kratochvil, J., Zahradnik, J., Rylek, M., and Cermak, J.	56	Increasing the rate of mass transfer in reactors with a bubble phase, *Chemický Průmysl* **28**, No. 7 (1978), Czechoslovakia.
Frank, J. T. and Lutcha, J.	65	Thickness of the film of a material treated in a film-type rotary evaporator, *Chemický Průmysl* **28**, No. 9 (1978), Czechoslovakia.
Heinrich, J., Kleinova, N., Kopernicky, I., Kubis, J., and Manak, J.	77	Contribution to the calculation of saturated vapor pressure, *Chemický Průmysl* **28**, No. 9 (1978), Czechoslovakia.
Pexidr, V., Krejcirik, A., and Pasek, J.	84	Mass transfer in a catalytic bubble-phase reactor, *Chemický Průmysl* **28**, No. 11 (1978), Czechoslovakia.
Blasinski, H., Nowicki, J., and Rzyski, E.	92	Mixing power and mixing times of propeller agitators introduced laterally, *Inzynieria Chemiczna* **7**, No. 4 (1977), Poland.
Kaczmarzyk, G. and Bandrowski, J.	98	Gas-solid heat transfer coefficient in vertical pneumatic transport, *Inzynieria Chemiczna* **7**, No. 4 (1977), Poland.
Machej, K.	110	Use of transformation in the method of least squares, *Inzynieria Chemiczna* **7**, No. 4 (1977), Poland.
Burghardt, A. and Bartelmus, G.	117	Experimental studies of longitudinal dispersion in two-phase flow in packed columns. I. Experimental determination of the parameters of piston flow with superimposed longitudinal dispersion, *Inzynieria Chemiczna* **8**, No. 1 (1978), Poland.
Burghardt, A. and Bartelmus, G.	130	Experimental studies of longitudinal dispersion in two-phase flow in packed columns. II. Analysis of the effect of longitudinal dispersion on mass transfer, *Inzynieria Chemiczna* **8**, No. 2 (1978), Poland.
Koziol, K., Broniarz, L., and Nowicka, T.	136	Transfer processes in film apparatus. I. Mass transfer during flow of a film of liquid down smooth pipes, *Inzynieria Chemiczna* **8**, No. 2 (1978), Poland.

Koziol, K. and Broniarz, L. 143 Transfer processes in film apparatus. II. Effect of systematic surface grooving on the value of the mass transfer coefficient in a falling film of liquid, *Inzynieria Chemiczna* **8**, No. 2 (1978), Poland.

Merzhanov, A. G. 150 Combustion processes in chemical reaction engineering, Institute of Chemical Physics, Academy of Sciences of the USSR, Soviet Union.

Ambrazyavichyus, A. B., Nashlenas, E. P., Serapinas, P. D., and Stasyukaitis, V. Yu. 172 Determination of the nitric oxide concentration for nonequilibrium chemical conditions, *Trudy AN Litovskoi SSR, Seriya B 99*, No. 2 (1977), Soviet Union.

Zhukauskas, A. A., Ulinskas, R. V., and Sipavichyus, Ch.-S. Yu. 177 Local heat transfer and hydraulic resistance with lateral streamline flow of a viscous oil through tube bundles over the range of values of the Reynolds number from 1 to 20,000, *Trudy AN Litovskoi SSR, Seriya B 99*, No. 2 (1977), Soviet Union.

187 Schedule of Future International Chemical Engineering Meetings.

Vol. 20, No. 2, April 1980

Jong JIN, Zhiqin YU, Jingzhu SHEN, and Li ZHANG 191 Pagoda-type vertical internal baffles in gas-fluidized beds, Chemical Engineering Department, Zyinghua University, Beijing, People's Republic of China.

Stockburger, D. and Bartmann, L. 197 Exergetic evaluation of the use of heat pumps (vapor compressors) in chemical plants, *Chemie-Ingenieur-Technik* 50, No. 7 (1978), Federal Republic of Germany.

Yabe, I. and Kunii, D. 203 Flow pattern around a spherical-cap gas bubble, *Kagaku Kōgaku Ronbunshu* 4, No. 3 (1978), Japan.

Makino, K., Saiwai, K., Suzuki, M., Tamamura, T., and Iinoya, K. 211 Analysis of the static yield of a powder layer, *Kagaku Kōgaku Ronbunshu* 4, No. 5 (1978), Japan.

Kumori, K., Iguchi, A., and Izumi, R. 219 Characteristics of fully developed turbulent flow and mass transfer in a square duct, *Kagaku Kōgaku Ronbunshu* 4, No. 5 (1978), Japan.

Imaishi, N. and Fujinawa, K. 226 An optical study of interfacial turbulence accompanying chemical absorption, *Kagaku Kōgaku Ronbunshu* 4, No. 5 (1978), Japan.

Sadakata, M., Béer, J. M., and Kunii, D. 232 A characteristic of nitric oxide emission from a swirling turbulent flame, *Kagaku Kōgaku Ronbunshu* 4, No. 5 (1978), Japan.

Furusawa, T., Kunii, D., Oguma, A., and Yamada, N. 239 Rate of reduction of nitric oxide by char, *Kagaku Kōgaku Ronbunshu* 4, No. 6 (1978), Japan.

Kamiwano, M., Saito, R., and Oshima, N. 244 Method for measurement of liquid velocity using an image sensor-application to a stirring vessel, *Kagaku Kōgaku Ronbunshu* 4, No. 6 (1978), Japan.

Sasakura, T., Kato, Y., Yamamuro, S., and Ohi, N.	251	Mixing process in a stirred vessel, *Kagaku Kōgaku Ronbunshu* 4, No. 6 (1978), Japan.
Niida, T., Yoshida, T., Senda, M., and Shimada, K.	258	Analytical solution for the velocity distribution in laminar flow in an annular-sector duct, *Kagaku Kōgaku Ronbunshu* 4, No. 6 (1978), Japan.
Ito, R.	266	Application of catastrophe theory to the breakup of a liquid drop in a shear field, *Kagaku Kōgaku Ronbunshu* 4, No. 6 (1978), Japan.
Heim, A.	271	Model of momentum and heat transfer in mixers with close-clearance agitators, *Inzynieria Chemiczna* 8, No. 3 (1978), Poland.
Heim, A.	279	Verification of a model of momentum and heat transfer in mixers with close-clearance agitators, *Inzynieria Chemiczna* 8, No. 3 (1978), Poland.
Fauchais, P., Bourdin, E., Aubreton, J., and Amouroux, J.	289	Plasma chemistry and its applications to the synthesis of acetylene from hydrocarbons and coal, *L'Actualité Chimique*, November (1978), France.
Stateva, R. and Boyadzhiev, Kh.	306	The determination of factors influencing blocks of chemical engineering systems having controlled output variables, *Izvestiya po Khimiya, Bulgarska Akademiya na Naukite* 11, No. 1 (1978), Bulgaria.
Berman, A. D. and Krylov, O. V.	313	Features of the kinetics of heterogeneous reactions with phase transformations on catalyst surfaces, *Problemy Kinetiki i Kataliza, 17: Nestatsionarnye i Neravnovesnye Protesessy vi Geterogennom Katalize*, AN SSSR, Izd. "Nauka," Moscow (1978), Soviet Union.
Kolesov, M. L., Bogdanova, N. A., Prokof'ev, E. K., Mikhal'chenko, G. G., and Smol'nikov, S. S.	323	Economic advantage of using a catalyst in the stage of isopropylbenzene oxidation, *Neftepererabotka i Neftekhimiya*, No. 4 (1976), Soviet Union.
Sokov, Yu. F., Krasnogorskaya, N. N., Kuznetsov, A. P., Kirillov, T. S., and Maksimemko, M. Z.	325	Dearomatization of kerosene–gas oil cuts in a rotary-disk extractor, *Neftepererabotka i Neftekhimiya*, No. 5 (1976), Soviet Union.
Basnev, S. P., Machenov, I. P., Puusepp, T. P., and Timofeev, I. A.	327	Utilization of return gas from cuprammonium treatment in ammonia production, *Neftepererabotka i Neftekhimiya*, No. 5 (1976), Soviet Union.
Churkin, Yu. V. and Glazunova, V. I.	329	Production of m-cresol from a petrochemical dicresol mixture, *Neftepererabotka i Neftekhimiya*, No. 6 (1976), Soviet Union.
Ben'kovskii, V. G., Sapunov, G. S., Makhov, A. F., Telyashev, G. G., and Selishchev, I. N.	331	Effect of hydrocarbon feedstock components on a thermal reduction process for treating acid wastes, *Neftepererabotka i Neftekhimiya*, No. 7 (1976), Soviet Union.
Michnik, B. Kh., Vyazkov, V. A., Duplyakin, V. K., and Levinter, M. E.	333	Role of carbon monoxide in regeneration of platinized alumina reforming catalyst, *Neftepererabotka i Neftekhimiya*, No. 8 (1976), Soviet Union.
	337	Schedule of Future International Chemical Engineering Meetings

Vol. 20, No. 3, July 1980

Bodenbenner, K., von Plessen, H., and Steiner, R.	343	Regeneration of spent sulfuric acid, *Chemie-Ingenieur-Technik* **50**, No. 1 (1978), Federal Republic of Germany.
Friedel, L.	352	Pressure drop during gas/vapor-liquid flow in pipes, *Chemie-Ingenieur-Technik* **50**, No. 3 (1978), Federal Republic of Germany.
Marquart, R. and Blenke, H.	368	Circulation of moderately to highly viscous Newtonian and non-Newtonian liquids in propeller-pumped circulating loop reactor, *Verfahrenstechnik* **12**, No. 11 (1978), Federal Republic of Germany.
Itoh, J., Niida, K., Shiroko, K., and Umeda, T.	379	Analysis of the available energy of a distillation system, *Kagaku Kogaku Ronbunshu* **5**, No. 1 (1979), Japan.
Tsutsui, T. and Miyauchi, T.	386	Fluidity of a fluidized catalyst bed and its effect on the behavior of bubbles, *Kagaku Kogaku Ronbunshu* **5**, No. 1 (1979), Japan.
Moritoki, M.	394	A method of fractional crystallization under high pressure, *Kagaku Kogaku Ronbunshu* **5**, No. 1 (1979), Japan.
Kato, K., Amada, K., and Ebara, S.	402	Reaction kinetics of the synthesis of ethylene oxide by the oxidation of ethylene on a silver catalyst, *Kagaku Kogaku Ronbunshu* **5**, No. 1 (1979), Japan.
Sadakata, M., Nawada, M., and Kunii, D.	409	Control of thermal NO_X and fuel NO_X from a high-temperature spray-combustion furnace by two-stage combustion, *Kagaku Kogaku Ronbunshu* **5**, No. 2 (1979), Japan.
Azuma, H., Furusaki, S., and Miyauchi, T.	417	Continuous liquid-phase separation of enzymes and proteins by electrophoresis, *Kagaku Kogaku Ronbunshu* **5**, No. 2 (1979).
Yamazaki, M. and Kato, Y.	425	Measurement of particle velocities in a fluidized bed by a thermal response method, *Kagaku Kogaku Ronbunshu* **5**, No. 2 (1979), Japan.
Morooka, S., Kusakabe, K., and Kato, Y.	433	Mass transfer coefficient at the wall of a rectangular fluidized bed for liquid-solid and gas-liquid-solid systems, *Kagaku Kogaku Ronbunshu* **5**, No. 2 (1979), Japan.
Obata, E. and Watanabe, H.	439	Experimental investigation of the operation of an inclined continuous thickener by the use of vertical and inclined solid-flux curves, *Kagaku Kogaku Ronbunshu* **5**, No. 2 (1979), Japan.
Kasaoka, S., Sakata, Y., Mimura, A., and Yamato, H.	446	Preparation of activated carbon from various plastics, *Nippon Kagaku Kaishi, No. 10 (1976), Japan.*
Gioia, F. and Mura, G.	458	Influence of catalysts on SO_2 control in coal combustion with limestone, Italy.
Dolejs, V. and Lecjaks, Z.	466	Pressure drop in flow of a Newtonian liquid through a fixed randomly packed bed of spherical particles, *Chemický Průmysl* **28**, No. 10 (1978), Czechoslovakia.

Kafarov, V. V., Vygon, V. G., Komech, A. I., and Zakhariev, K. E. 473 An analytical solution of the problem of a biparametric diffusion model, *Izvestiya po Khimiya, Bulgarska Akademiya na Naukite* **11**, No. 1 (1978), Bulgaria/Soviet Union.

Kirillov, V. A. and Ogarkov, B. L. 478 Investigation of the processes of heat and mass transfer in a three-phase fixed bed of catalyst, *Hungarian Journal of Industrial Chemistry* **6**, No. 2 (1978), Hungary.

Drizhyus, M.-R. M., Shkema, R. K., and Schlanchyuaskas, A. A. 486 Heat transfer in a twisted stream of water in a tube, *Trudy AN Litovskoi SSR, Seriya B4*, No. 107 (1978), Soviet Union.

Tamonis, M. M., Sinkyavichyus, I. E., and Tutlite, O. L. 489 Energy transfer by radiation in the combustion products of a hydrocarbon fuel. Consideration of the rotational structure of bands in isothermal mixtures of gases, *Trudy AN litovskoi SSR, Seriya B5* **(1978), Soviet Union.**

Chaksh, S. A. 498 Increase in the heat transfer rate on the shell side of shell-and-tube heat exchangers with the use of cross baffles, *Izvestiya AN Latviiskoi SSR, Seriya Fizicheskikh i Tekhnicheskikh Nauk*, No. 6 (1977), Soviet Union.

Poshkas, P. S., Survila, V. Yu., and Zhukauskas, A. A. 503 Drag and flow patterns for a tube in various rows of bundles with lateral cross flow of air at high Reynolds numbers, *Trudy AN Litovskoi SSR, Seriya B110*, No. 1 (1979), Soviet Union.

513 Schedule of Future International Chemical Engineering Meetings

Vol. 20, No. 4, October 1980

Halwachs, W. and Schügerl, K. 519 The liquid membrane technique—a promising extraction process, *Chemie-Ingenieur-Technik* **50**, No. 10 (1978), Federal Republic of Germany.

Werther, J. 529 Mathematical modeling of fluidized bed reactors, *Chemie-Ingenieur-Technik* **50**, No. 11 (1978), Federal Republic of Germany.

Grosz-Röll, F. 542 Assessing homogeneity in motionless mixers, *Aufbereitungs-Technik* **20**, No. 1 (1979), Federal Republic of Germany.

Schlünder, E. U. 550 Heat transfer to moving spherical packings at short contact times, *Chemie-Ingenieur-Technik* **43**, No. 11 (1971), Federal Republic of Germany.

Wunschmann, J. and Schlünder, E. U. 555 Heat transfer from heated surfaces to spherical packings, *Verfahrenstechnik* **9**, No. 10 (1975), Federal Republic of Germany.

Muchowski, E. 564 Heat transfer from the bottoms of vibrated vessels to packings of spheres at atmospheric pressure and under vacuum, *Verfahrenstechnik* **12**, No. 4 (1978), Federal Republic of Germany.

Muchowski, E. and Männchen, E. 577 Heat transfer from the bottoms of vibrated vessels to stirred packings of spheres at atmospheric pressure and under vacuum,

Verfahrenstechnik **12**, No. 9 (1978), Federal Republic of Germany.

Heyde, M. and Klocke, H.-J. **583** Heat transfer between fluidized beds and heat exchange installations, *Verfahrenstechnik* **13**, No. 11 (1979), Federal Republic of Germany.

Yoshimura, Y., Ueda, K., Mori, F., and Yoshioka, N. **600** Initial particle-collection mechanism in clean, deep-bed filtration, *Kagaku Kogaku Ronbunshu* **5**, No. 3 (1979), Japan.

Kamiwano, M., Obya, K., and Koga, T. **609** Mixing process of highly viscous Newtonian fluids in the space between two vertical, coaxial cylinders, *Kagaku Kogaku Ronbunshu* **5**, No. 3 (1979), Japan.

Ito, R., Hirata, Y., Inoue, K., and Kitagawa, Y. **616** Formation of a liquid drop at a single nozzle in a uniform stream, *Kagaku Kogaku Ronbunshu* **5**, No. 3 (1979), Japan.

Miyake, Y., Eguchi, W., Adachi, M., and Ohara, S. **621** Mechanism and rate of iodine vapor absorption in aqueous sodium hydroxide solution, *Kagaku Kogaku Ronbunshu* **5**, No. 3 (1979), Japan.

Hine, F. **629** Energy saving in the chlor-alkali industry, *Denki Kagaku*, No. 12 (1979), Japan.

Delmon, B. **639** Catalysts. A new mechanistic model explaining synergy in hydrotreating catalysts, *Comptes rendus, Serie C 289* (1979), France.

Zhou, Y. F., Shi, J. F., Wang, X. M., and Ye, Y. H. **642** A study of the hydrodyanmic behavior of Linde-type flow-guided sieve plates, *Hua Kung Hsüeh Pao* **1**, No. 1 (1979), People's Republic of China.

Liu, D. M., Chao, Z. L., Huang, Z. X., and Wu, X. J. **654** A sequential procedure for optimal discrimination among rival rate models for the reaction of ammonia synthesis on 'A' catalysts, *Hua Kung Hsüeh Pao* **1**, No. 2 (1979), People's Republic of China.

Medek, J. **664** Power characteristics of agitators with flat inclined blades, *Chemický Průmysl* **28**, No. 12 (1978), Czechoslovakia.

Hruby, J. **673** Variation of the pressure fluctuations and Murphree efficiency on a slot tray without weirs in an absorption column, *Chemický Průmysl* **29**, No. 1 (1979), Czechoslovakia.

Sawinsky, J., Hunek, J., and Podmaniczky, L. **681** A diffusional model for longitudinal mixing, *Magyar Kemikusok Lapja* **33**, No. 7 (1978), Hungary.

Ornatskii, A. P., Vasil'ev, A. F., and Chernobai, V. A. **688** Determination of the critical heat flux density in channels with nonuniform generation of heat along their length, *Teplofizika i Teplomekhanika*, No. 35 (1978), Soviet Union.

692 Index of authors, Vol. 20, 1980.

697 Contents, Vol. 20, Nos. 1, 2, 3 and 4 (1980).

703 Schedule of Future International Chemical Engineering Meetings